

**2020 CONTRACTOR QUIZ**  
**CONTRACTOR QUALIFIED PERSON ORIENTATION**  
**NORTHROP GRUMMAN SPACE SYSTEMS, SPACE PARK, CALIFORNIA**

**Instructions: Choose the correct response. You must answer all the questions correctly to receive a certificate (valid for one year) which meets the minimum Environmental Health and Safety (EHS) orientation requirements.**

1. What is the name of the document that tells you the response time ESH will issue a Hot Work Permit?
  - a. General Safety and Environmental Rules for Contractors at Space Park
  - b. Space Park ESH Compliance Manual
  - c. **Contractor Notification List**
  - d. NGSS Sector Compliance Manual
  
2. If a contractor is working at 10 feet and not able to install safely to an acceptable anchor point, the contractor will:
  - a. Need to use a ladder as they generally do not require fall protection in its use
  - b. Proceed with the work without fall protection and without an assigned spotter
  - c. **Proceed with the work without fall protection while using an assigned spotter**
  
3. The frequency the competent person to inspect a scaffold is weekly?
  - a. True
  - b. **False**
  
4. What does NOT need to be posted at the project entrance?
  - a. Names of Facilities Representative and General Contractor Representative with phone nos.
  - b. Personal protective equipment to be worn
  - c. **Code of Safe Practices**
  - d. Cal OSHA Health Protection on the Job
  
5. A ladder is required to be inspected once a day and removed from service if there is any damage, or its labels are illegible?
  - a. **False**
  - b. True
  
6. Which of the following does NOT require training in its use?
  - a. Portable ladder
  - b. **Fixed ladder**
  - c. Scissor lift
  - d. Powder-activated tool
  
7. After an earthquake and construction occurs inside the building, does construction cease until the area can be assessed?
  - a. False
  - b. **True**
  
8. When MIG welding on stainless steel, what is the metal of concern?
  - a. Lead
  - b. **Chromium**
  - c. Arsenic
  
9. A ground fault circuit interrupter must be used when tools with cords are being used in wet locations or when receptacle is not part of permanent wiring?
  - a. **True**
  - b. False
  
10. Rolling scaffolds must have railings installed when their height exceeds 10 feet?
  - a. **False**
  - b. True